

63mm Range



Order Code:	63.C.NP
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.00mm
External Height:	24.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	300 per Box



Order Code:	63.CPR
Raw Material:	Polyethylene (HDPE)
Bottle Thread:	R4
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.00mm
External Height:	24.00mm
Torque:	3.8 N-m +/- 0.4
Box Quantity:	300 per Box



Order Code:	63.C.SW
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.00mm
External Height:	24.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	300 per Box

63mm Range



Order Code:	63.C.WP
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.00mm
External Height:	24.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	300 per Box



Order Code:	63.I
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.70mm
External Height:	20.50mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	300 per Box



Order Code:	63.K
Raw Material:	PP or HDPE
Thread Form:	Buttress
Internal Diameter:	60.10mm
External Diameter:	68.90mm
External Height:	30.70mm
Torque:	6.0 N-m +/- 0.4
Box Quantity:	250 per Box

63mm Range



Order Code:	63.K2
Raw Material:	Polyethylene (HDPE)
Bottle Thread:	R4
Thread Form:	Buttress
Internal Diameter	61.00mm
External Diameter:	68.90mm
External Height:	30.70mm
Torque:	5 N-m
Box Quantity:	250 per Box



Order Code:	63.L
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	68.00mm
External Height:	21.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	400 per Box



Order Code:	63.O
Raw Material:	Polyethylene (LDPE)
Thread Form:	Buttress
Internal Diameter:	55.20mm
External Diameter:	62.80mm
External Height:	31.50mm
Torque:	N/A
Box Quantity:	150 per Box

63mm Range



Order Code:	63.S
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	60.60mm
External Diameter:	69.00mm
External Height:	21.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	360 per Box



Order Code:	63.X
Raw Material:	Polyethylene (HDPE)
Thread Form:	Buttress
Internal Diameter:	61.00mm
External Diameter:	65.00mm
External Height:	17.00mm
Torque:	3.9 N-m +/- 0.4
Box Quantity:	500 per Box



Order Code:	63.X2
Raw Material:	Polypropylene (PP)
Bottle Thread:	R4
Thread Form:	Round Bump Off
Internal Diameter:	61.00mm
External Diameter:	65.00mm
External Height:	17.30mm
Torque:	3.8 N-m +/- 0.4
Box Quantity:	500 per Box

63mm Range

Wad Types:

Plain No Liner (OHD)
LDPE Foam (EPE)
Aluminium Facing (EAM)
Induction Heat Seal for PE or Glass Bottles (205)
Induction Heat Seal Pictogram for PE Bottles (250)
Induction Heat Seal for PET Bottles (605)
Induction Heat Seal Pictogram for PVC Bottles (650)
Induction Heat Seal for PVC or PET Bottles (960)
Induction Heat Seal Top Tab Pull Seal for PE and PET Bottles (TTF/TTE)
Venting Breather (PNL) Liner

63 O Neck Insert Only